

Webhooks Input - Bug #1477

Input doesn't restart properly

09/12/2016 05:22 AM - Luke Murphey

Status:	Closed	Start date:	09/12/2016
Priority:	Normal	Due date:	
Assignee:	Luke Murphey	% Done:	100%
Category:		Estimated time:	0.00 hour
Target version:	0.7		
Description			
The socket doesn't get closed until data hits the socket. The input cannot run because the socket is in use.			
2016-09-12 05:17:57,404 ERROR Execution failed Traceback (most recent call last): File "/opt/splunk/etc/apps/webhooks_input/bin/webhooks_input_app/modular_input.py", line 1328, in execute self.do_run(in_stream, log_exception_and_continue=True) File "/opt/splunk/etc/apps/webhooks_input/bin/webhooks_input_app/modular_input.py", line 1228, in do_run input_config) File "/opt/splunk/etc/apps/webhooks_input/bin/webhooks_input.py", line 189, in run httpd = WebServer(output_results, port, path_re, logger=self.logger) File "/opt/splunk/etc/apps/webhooks_input/bin/webhooks_input.py", line 98, in __init__ server = HTTPServer(('', port), LogRequestsInSplunkHandler) File "/opt/splunk/lib/python2.7/SocketServer.py", line 420, in __init__ self.server_bind() File "/opt/splunk/lib/python2.7/BaseHTTPServer.py", line 108, in server_bind SocketServer.TCPServer.server_bind(self) File "/opt/splunk/lib/python2.7/SocketServer.py", line 434, in server_bind self.socket.bind(self.server_address) File "/opt/splunk/lib/python2.7/socket.py", line 224, in meth return getattr(self._sock,name)(*args) error: [Errno 98] Address already in use			

History

#1 - 09/12/2016 05:56 AM - Luke Murphey

I wish I could find a good way to set the default interval to something like 5 seconds. Setting the interval in the [default] stanza doesn't seem to work.

#2 - 09/12/2016 05:58 AM - Luke Murphey

<https://engineering.imvu.com/2014/03/06/charming-python-how-to-actually-close-a-socket-by-calling-shutdown-before-calling-close/>

"The conclusion is that Python sockets should always be closed by first calling shutdown() and then calling close()."

<http://stackoverflow.com/questions/5040491/python-socket-doesnt-close-connection-properly>

" Even though you've closed your socket, it still has lingering consequences for a couple minutes. The reasons for this, as well as a socket flag you can set to disable the behavior (SO_REUSEADDR), are explained in the UNIX guide socket FAQ."

#3 - 09/16/2016 05:10 AM - Luke Murphey

- Status changed from New to Closed

- % Done changed from 0 to 100