

## Splunk Build Script - Bug #1819

### Run btool to identify errors

04/13/2017 08:40 PM - Luke Murphey

<b>Status:</b>	Closed	<b>Start date:</b>	04/13/2017
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>	Luke Murphey	<b>% Done:</b>	100%
<b>Category:</b>		<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	1.1.1		

#### Description

Run btool against the specific app and fail if it produces findings.

Like:

```
"splunk cmd btool --app=search"
```

See

[https://docs.splunk.com/Documentation/Splunk/6.5.3/Troubleshooting/Usebtooltotroubleshootconfigurations#Investigate\\_configuration\\_values\\_in\\_one\\_app](https://docs.splunk.com/Documentation/Splunk/6.5.3/Troubleshooting/Usebtooltotroubleshootconfigurations#Investigate_configuration_values_in_one_app)

#### History

**#1 - 04/17/2017 05:30 AM - Luke Murphey**

- Target version changed from 1.1 to 1.1.1

**#2 - 12/06/2017 06:35 PM - Luke Murphey**

- Status changed from New to Closed

- % Done changed from 0 to 100