

RADIUS Authentication - Task #369

Create Setup Page

03/03/2012 05:19 AM - Luke Murphey

Status:	Closed	Start date:	
Priority:	Normal	Due date:	
Assignee:	Luke Murphey	% Done:	100%
Category:		Estimated time:	0.00 hour
Target version:	1.0.0		
Description Create a setup page that allows users to set: <ol style="list-style-type: none">1. The RADIUS server address2. The shared secret3. Whether RADIUS authentication is enabled (so that users can revert to normal authentication)4. A login & password to test the configuration Reference: <ul style="list-style-type: none">• http://docs.splunk.com/Documentation/Splunk/4.3/Developer/SetupExampleCredentials• http://docs.splunk.com/Documentation/Splunk/4.3/Developer/SetupExampleCustom• http://docs.splunk.com/Documentation/Splunk/4.3/Developer/SetupXML			
Related issues: Blocked by RADIUS Authentication - Task #376: Create REST Endpoint Closed			

Associated revisions

Revision 28 - 03/17/2012 09:10 AM - Luke Murphey

Created a setup page for configuring the radius authentication script (closes #369)

Revision 25 - 03/17/2012 09:10 AM - Luke Murphey

Created a setup page for configuring the radius authentication script (closes #369)

History

#1 - 03/03/2012 05:21 AM - Luke Murphey

- Assignee set to Luke Murphey

#2 - 03/03/2012 08:44 AM - Luke Murphey

- Target version set to 1.0.0

#3 - 03/14/2012 06:54 AM - Luke Murphey

- Status changed from New to In Progress

#4 - 03/16/2012 07:43 PM - Luke Murphey

- % Done changed from 0 to 80

#5 - 03/17/2012 09:11 AM - Luke Murphey

- Status changed from In Progress to Closed

- % Done changed from 80 to 100

Applied in changeset [r28](#).