

RADIUS Authentication - Bug #385

Setup screen doesn't deploy auth script

07/27/2012 07:02 PM - Luke Murphey

Status:	Closed	Start date:	07/27/2012
Priority:	Normal	Due date:	
Assignee:	Luke Murphey	% Done:	100%
Category:		Estimated time:	0.00 hour
Target version:	1.0.1		
Description Setup does not appear to be configuring the script correctly. The authentication.conf (\$SPLUNK_HOME/etc/system/local/authentication.conf) file should look something like: <pre>[radius_auth_script] scriptPath = "\$SPLUNK_HOME/bin/python" "\$SPLUNK_HOME/etc/apps/radius_auth/bin/radius_auth.py" scriptSearchFilters = 0 [authentication] authType = Scripted authSettings = radius_auth_script</pre>			

Associated revisions

Revision 33 - 07/27/2012 11:28 PM - Luke Murphey

Fixed issue where the setup screen did not toggle the status of the authentication script correctly, closes #385

Revision 28 - 07/27/2012 11:28 PM - Luke Murphey

Fixed issue where the setup screen did not toggle the status of the authentication script correctly, closes #385

History

#1 - 07/27/2012 07:03 PM - Luke Murphey

- Description updated

#2 - 07/27/2012 08:01 PM - Luke Murphey

It looks like the setup screen is not bothering to deploy the script because configureAuthenticationScript() is getting called with enabled=False.

#3 - 07/27/2012 11:28 PM - Luke Murphey

- Status changed from New to Closed

- % Done changed from 0 to 100

Applied in changeset [r33](#).

#4 - 07/27/2012 11:29 PM - Luke Murphey

- Target version set to 1.0.1